

Bi Polar Electrode Instructions

DESIGNED FOR PLEASURE

All E-Stim Systems Bipolar electrodes are designed with both of the contact points needed for electroplay in the same insertable. If your electrode is fitted with a Flanged base, then the base is designed to prevent deep insertion and also offers additional surface area for stimulation.

Given sufficient care your electrodes should last for years, and they are covered by our Lifetime Guarantee.

TO USE

Connect the cable to the electrode, coat the electrode with conductive gel and then gently insert. The electrode is generally designed to be inserted up to the 'neck', with the base outside the body, and the head inside. The current will then flow between the head and base, stimulating the areas in-between.

Once inserted, ensure the powerbox is switched off and the output level control is at minimum, then insert the 3.5mm jack plug into the correct socket.

NOTE: E-STIM ELECTRODES CANNOT BE USED WITH A CONDOM.

Switch the control box on and slowly increase the output level to provide the desired level of stimulation.

SAFETY WARNING

DO NOT CONNECT ANY ELECTRICAL DEVICE TO ANY LOCATION ABOVE THE WAIST (ACROSS THE ARMS COUNTS AS ABOVE THE WAIST!), BUT ESPECIALLY DO NOT CONNECT ACROSS THE HEART, CHEST, NECK OR HEAD. DO NOT USE IF YOUR SUBJECT IS FITTED WITH A PACEMAKER OR ARE PREGNANT.

Remember you use any e-stim device at your own risk. You must read and understand the user manual and all other instructions before attempting operation.

CLEANING

Always clean your electrode both before and after use and make sure the electrode is completely dry before storage.

Soap, hot water and medical grade cleaning wipes can be used to clean your electrode. Do NOT use caustic cleaning substances as this may damage the electrode.

All E-Stim Systems Premium electrodes, apart from the ElectroEggs can be disassembled for cleaning. When re-assembling ensure that the insulated neck is correctly inserted onto the mounting bolt and the mounting bolt has the insulated bush fitted facing inwards. If you inadvertently loose a piece, spares are available.

Further details on cleaning can be found in our Guide to Cleaning Electrodes.

CONNECTION AND CABLES

On the base of the electrode you will find two 4mm holes. These are the connection sockets to your powerbox.

In order to connect your electrode to an E-Stim Systems Powerbox you will need a 3.5mm to 4mm cable. To insert press each of the 4mm plugs gently into the relevant socket on the electrode, to remove twist the plug anti-clockwise, and gently pull the plug, not the cable. The single 3.5mm jack plug is designed to insert into the power box. Do not leave connecting plugs inserted into the electrode during storage.

TO REMOVE

Switch off the control box and then unplug the cable from the Power Box.

Once the electrode is removed, clean it immediately. Make sure the electrode is completely dry before storage.

Cleaning Electrodes

Congratulations on your purchase of an E-Stim Systems Premium Bipolar Electrode. Given sufficient care your electrode will last for years, and is covered by our lifetime guarantee.

Designed for your pleasure

All E-Stim Systems Bipolar electrodes are designed with both of the contact points needed for electroplay in the same insertable. If your electrode is fitted with a Flanged base, then the base is designed to prevent deep insertion and also offers additional surface area for stimulation.

To Use

Connect the cable to the electrode, coat the electrode with conductive gel and then gently insert. The electrode is generally designed to be inserted up to the 'neck', with the base outside the body, and the head inside. The current will then flow between the head and base, stimulating the areas in-between.

Once inserted, ensure the powerbox is switched off and the output level control is at minimum, then insert the 3.5mm jack socket into the correct socket.

NOTE: E-STIM ELECTRODES CANNOT BE USED WITH A CONDOM.

Switch the control box on and slowly increase the output level to provide the desired stimulation.

SAFETY WARNING

DO NOT CONNECT ANY ELECTRICAL DEVICE TO ANY LOCATION ABOVE THE WAIST (ACROSS THE ARMS COUNTS AS ABOVE THE WAIST!), BUT ESPECIALLY DO NOT CONNECT ACROSS THE HEART, CHEST, NECK OR HEAD. DO NOT USE IF YOUR SUBJECT IS FITTED WITH A PACEMAKER OR ARE PREGNANT.

Remember you use this device at your own risk. You must read and understand the user manual and all other instructions before attempting operation.

Guide to Cleaning Electrodes

Always clean your electrode both before and after use and make sure the electrode is completely dry before storage.

Soap, hot water and medical grade cleaning wipes can be used to clean your electrode. Do NOT use caustic cleaning substances as this may damage the electrode.

All E-Stim Systems Premium electrodes, apart from the ElectroEggs can be disassembled for cleaning. When re-assembling ensure that the insulated neck is correctly inserted onto the mounting bolt and the mounting bolt has the insulated bush fitted facing inwards. If you inadvertently loose a piece, spares are available.

CONNECTION and CABLES

On the base of the electrode you will find two 4mm holes. These are the connection sockets to your powerbox.

In order to connect your electrode to an E-Stim Systems Powerbox you will need a 3.5mm to 4mm cable. To insert press each of the 4mm plugs gently into the relevant socket on the electrode, to remove twist the plug anti-clockwise, and gently pull the plug, not the cable. The single 3.5mm jack plug is designed to insert into the power box. Do not leave connecting plugs inserted into the electrode during storage.

TO REMOVE

Switch off the control box and then unplug the cable from the Power Box.

Once the electrode is removed, clean it immediately. Make sure the electrode is completely dry before storage.